Amendments to the Claims

1	Claim I (original): A method of preparing information usable in theft detection using radio		
2	frequency identification ("RFID") technology, comprising steps of:		
3	creating a unique correlator value, for a current transaction, as a function of one or more		
4	values;		
5	storing the unique correlator value in an RFID tag affixed to each of one or more items		
6	presented for purchase in the current transaction; and		
7	storing the unique correlator value on a receipt prepared for the current transaction.		
1	Claim 2 (original): The method according to Claim 1, wherein the unique correlator value on the		
2	receipt is stored in an RFID tag affixed thereto.		
1	Claim 3 (original): A method of detecting potential theft using radio frequency identification		
2	("RFID") technology, comprising steps of:		
3	reading, from a transaction receipt, a correlator value;		
4	searching, in an RFID tag affixed to each or one or more items possessed by a shopper		
5	who also possesses the transaction receipt, for the correlator value; and		
6	concluding that at least some of the one or more items possessed by the shopper were not		
7	paid for if the correlator value is not located in the searching step.		
1	Claim 4 (currently amended): The method according to Claim 3, wherein the unique correlator		
2	value on the transaction receipt is stored in an RFID tag affixed thereto.		
	Serial No. 10/666,703 -5- RSW920030195US1		

FAX

1

2

3

4

-6-

RSW920030195US1

by the transaction receipt was conducted.

Serial No. 10/666,703

1	Claim 9 (original): The method according to Claim 3, further comprising the step of
2	remembering each item that was in the shopper's possession when the shopper entered an
3	establishment in which a transaction reflected by the transaction receipt was conducted, and
4	wherein the searching and concluding steps do not apply to the remembered items.
1	Claim 10 (original): A system for preparing information usable in theft detection using radio
2	frequency identification ("RFID") technology, comprising:
3	means for creating a unique correlator value, for a current transaction, as a function of
4	one or more values;
5	means for storing the unique correlator value in an RFID tag affixed to each of one or
6	more items presented for purchase in the current transaction; and
7	means for storing the unique correlator value on a receipt prepared for the current
8	transaction.
1	Claim 11 (original): The system according to Claim 10, wherein the unique correlator value on
2	the receipt is stored in an RFID tag affixed thereto.
1	Claim 12 (original): A system for detecting potential theft using radio frequency identification
2	("RFID") technology, comprising:
3	means for reading, from a transaction receipt, a correlator value;
4	means for searching, in an RFID tag affixed to each or one or more items possessed by a
	Serial No. 10/666,703 -7- RSW920030195US

5	shopper who also possesses the transaction receipt, for the correlator value; and	
6	means for concluding that at least some of the one or more items possessed by the	
7	shopper were not paid for if the correlator value is not located by the means for searching.	
1	Claim 13 (currently amended): The system according to Claim 12, wherein the unique correlator	
2	value on the transaction receipt is stored in an RFID tag affixed thereto.	
1	Claim 14 (original): The system according to Claim 12, wherein the means for reading is	
2	performed by a human, and wherein a human-readable representation of a result of the means for	
3	searching is presented for use by the means for concluding.	
1	Claim 15 (original): The system according to Claim 12, further comprising:	
2	means for initially creating the correlator value as a unique correlator value for a current	
3	transaction, using as input one or more values;	
4	means for previously storing the initially-created correlator value in an RFID tag affixed	
5	to each of one or more items presented for purchase in the current transaction, prior to operation	
6	of the means for searching; and	
7	means for storing the unique correlator value on the transaction receipt prepared for the	
8	current transaction, prior to operation of the means for reading.	
1	Claim 16 (original): The system according to Claim 12, wherein the means for concluding	
2	concludes that selected ones of the possessed items were paid for if the correlator value of the	
	Serial No. 10/666,703 -8- RSW0200301051151	

3 selected ones re	flects a previous trans	action.
--------------------	-------------------------	---------

1	Claim 17 (original): The system according to Claim 12, wherein the means for concluding
2	concludes that selected ones of the possessed items were paid for if those selected ones were in
3	the shopper's possession when the shopper entered an establishment in which a transaction
4	reflected by the transaction receipt was conducted.
1	Claim 18 (original): The system according to Claim 12, further comprising means for
2	remembering each item that was in the shopper's possession when the shopper entered an
3	establishment in which a transaction reflected by the transaction receipt was conducted, and
4	wherein the means for searching and means for concluding do not apply to the remembered
5	items.
1	Claim 19 (original): A computer program product for preparing information usable in theft
2	detection using radio frequency identification ("RFID") technology, the computer program
3	product embodied on one or more computer-readable media and comprising:
4	computer-readable program code means for creating a unique correlator value, for a

computer-readable program code means for storing the unique correlator value on a

RFID tag affixed to each of one or more items presented for purchase in the current transaction;

computer-readable program code means for storing the unique correlator value in an

Serial No. 10/666,703

5

6

7

8

9

and

current transaction, as a function of one or more values;

-9-

RSW920030195US1

10	receipt prepared for the current transaction.	
1	Claim 20 (original): The computer program product according to Claim 19, wherein the unique	
2	correlator value on the receipt is stored in an RFID tag affixed thereto.	
1	Claim 21 (original): A computer program product for detecting potential theft using radio	
2	frequency identification ("RFID") technology, the computer program product embodied on on	
3	or more computer-readable media and comprising:	
4	computer-readable program code means for reading, from a transaction receipt, a	
5	correlator value;	
6	computer-readable program code means for searching, in an RFID tag affixed to each or	
7	one or more items possessed by a shopper who also possesses the transaction receipt, for the	
8	correlator value; and	
9	computer-readable program code means for concluding that at least some of the one or	
10	more items possessed by the shopper were not paid for if the correlator value is not located by the	
11	computer-readable program code means for searching.	
1	Claim 22 (currently amended): The computer program product according to Claim 21, wherein	
2	the unique correlator value on the transaction receipt is stored in an RFID tag affixed thereto.	
1	Claim 22 (original). The same to the same	
	Claim 23 (original): The computer program product according to Claim 21, wherein the	
2	computer-readable program code means for reading is performed by a human, and wherein a	
	Serial No. 10/666,703 -10- RSW9200301951IS1	

-10-

RSW920030195US1

human-readable representation of a result of the computer-readable program code means for

3

4	searching is presented for use by the computer-readable program code means for concluding.	
1	Claim 24 (original): The computer program product according to Claim 21, further comprising:	
2	computer-readable program code means for initially creating the correlator value as a	
3	unique correlator value for a current transaction, using as input one or more values;	
4	computer-readable program code means for previously storing the initially-created	
5	correlator value in an RFID tag affixed to each of one or more items presented for purchase in the	
6	current transaction, prior to operation of the computer-readable program code means for	
7	searching; and	
8	computer-readable program code means for storing the unique correlator value on the	
9	transaction receipt prepared for the current transaction, prior to operation of the computer-	
10	readable program code means for reading.	
1	Claim 25 (original): The computer program product according to Claim 21, wherein the	
2	computer-readable program code means for concluding concludes that selected ones of the	
3 .	possessed items were paid for if the correlator value of the selected ones reflects a previous	
4	transaction.	
1	Claim 26 (original): The computer program product according to Claim 21, wherein the	
2	computer-readable program code means for concluding concludes that selected ones of the	
3	possessed items were paid for if those selected ones were in the shopper's possession when the	
	Serial No. 10/666,703 -11- RSW920030195US1	

- shopper entered an establishment in which a transaction reflected by the transaction receipt was 4
- 5 conducted.
- Claim 27 (original): The computer program product according to Claim 21, further comprising 1
- computer-readable program code means for remembering each item that was in the shopper's 2
- possession when the shopper entered an establishment in which a transaction reflected by the 3
- transaction receipt was conducted, and wherein the computer-readable program code means for 4
- searching and computer-readable program code means for concluding do not apply to the 5
- 6 remembered items.